STATE OF UTAH  DEPARTMENT OF NATURAL RESOURCES  DIVISION OF OIL, GAS AND MINING										AMENDED RE	FORM 3		
APPLICATION FOR PERMIT TO DRILL									1.	1. WELL NAME and NUMBER RW 4B1-26B			
2. TYPE OF WORK  DRILL NEW WELL ( REENTER P&A WELL  DEEPEN WELL )								3.	FIELD OR WILDCAT	RED WASH			
3 3 3								5.	UNIT or COMMUNIT		EMENT N	AME	
6. NAME OF	OPERATOR	Gas W	QEP ENER						7.	OPERATOR PHONE		2	
8. ADDRESS	OF OPERATOR	11002			, Vernal, Ut, 84078				9.	OPERATOR E-MAIL			
	L LEASE NUMBEI INDIAN, OR STAT	र	Last 17500 C		1. MINERAL OWNER	-			12	. SURFACE OWNERS	SHIP		
	U	, TU0566 NER (if box 12 = 'fee	e')		FEDERAL IN	IDIAN (_	) STATE (	) FEE(_)	14	FEDERAL INC		ATE ()	FEE ()
		OWNER (if box 12 =							L	S. SURFACE OWNER	·		
17 INDIAN	ALLOTTEE OR TI	DIDE NAME		1	8. INTEND TO COM	MINGLE	PRODUCTION	N FROM	19	). SLANT			
(if box 12 =		VIDE NAME		N	VES (Submit		gling Applicati	ion) NO		VERTICAL DIF	ECTIONAL 📵	HORIZO	ONTAL 🛑
20. LOCAT	ION OF WELL			FOO	TAGES	Q	TR-QTR	SECTION	Ĭ	TOWNSHIP	RANGE		MERIDIAN
LOCATION	AT SURFACE		228	3 FSL	. 550 FEL		SESE	22		7.0 S	23.0 E		S
Top of Upp	permost Produci	ng Zone	177	FNL	339 FWL	1	WWW	26		7.0 S	23.0 E		S
At Total D			177		339 FWL		NWNW )	26		7.0 S	23.0 E		S
21. COUNTY UINTAH				_L	22. DISTANCE TO NEAREST LEASE LINE (Feet) 177 23. NUMBER OF ACRES IN DRILLING UNIT								
					25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling of Completed) 1000			<b>26. PROPOSED DEPTH</b> MD: 11130 TVD: 11035					
27. ELEVAT	ION - GROUND L	<b>EVEL</b> 5594		2	28. BOND NUMBER ESB000024			29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 49-251/49-2153				ABLE	
					Hole, Casin	g, and (	Cement Info	ormation					
String	Hole Size	Casing Size	Leng	th	Weight	Grade	& Thread	Max Mud	Wt	. Cement	Sacks	Yield	Weight
Surf	12.25	9.625	0 - 36	665	40.0	N-8	30 LT&C	0.0		35/65 Po		3.12	11.0
	0.5	4.5	0.00	200	110	HOD	4401700	0.5		50/50 Po:		1.47	13.5
I1 Prod	7.875	4.5 4.5	0 - 62		11.6		110 LT&C 110 LT&C	9.5		No Used 35/65 Po:	0 z 640	3.18	11.0
	7.070	1.0	0 11	100	11.0	1101	110 2100	10.0		50/50 Po		1.65	13.5
						ATTACI	HMENTS						
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES													
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER COMPLETE					IPLETE DRILLING	PLA	N						
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER								
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)					<b>№</b> торо	OGRAPHICAL MAF	,						
NAME Valyn Davis TITLE Regulatory Affairs Analys					s Analyst	4		PH	IONE 435 781-4369				
SIGNATURE DATE 04/23/2012								EN	MAIL Valyn.Davis@qe	pres.com			
APPROVAL  API NUMBER ASSIGNED 43047525120000  APPROVAL							Peri	nit	Manager				

**QEP Energy Company** 

RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E

#### DRILLING PROGRAM

### ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil & Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

### 1. Formation Tops

The estimated top of important geologic markers are as follows:

<b>Formation Name</b>	TVD (ft, RKB)	MD (ft, RKB)
Duchesne River/Uinta	0	0
Green River	2810	2848
Mahogany	3560	3614
Estimated Btm of Mod Saline Water	5360	5452
Wasatch	6105	6200
Mesaverde	8360	8455
Sego	10735	10830
TD	11035	11130

### 2. Anticipated Depths of Oil, Gas, Water, and Other Mineral Bearing Zones

The estimated depths at which the top of the anticipated water, oil, gas, or other mineral bearing formations are expected to be encountered as follows:

Formation Name (Substance)	<u>Depth (ft, TVD)</u>	Depth (ft, MD)
Green River (Oil)	2810	2848
Wasatch (Gas)	6105	6200
Mesaverde (Gas)	8360	8455
Sego (Gas)	10735	10830

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If flows are detected, samples will be submitted to the BLM along with any water analyses conducted. Fresh water will be obtained from Wonsits Valley water right #49-251 (which was filed on May 7, 1964) or Red Wash water right #49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System, to supply fresh water for drilling purposes. All water resulting from drilling operations will be disposed of at LaPoint Recycling and Storage in Section 12, T5S R19E of Uintah County, UT or Red Wash Disposal site; SESE, Section 28, T7S, R23E or West End Disposal Site; NESE, Section 28, T7S, R22E.

RW 4B1-26B 8-Point Drilling Plan

Page 1 of 11

RECEIVED: April 23, 2012

**QEP Energy Company** 

RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E

### 3. Operator's Specification for Pressure Control Equipment

- A. An 11" 5000 psi double ram with blind rams and pipe rams, annular preventer and drilling spool or BOP with 2 side outlets.
- B. All BOP connections subject to pressure shall be flanged, welded or clamped.
- C. Kill line (2" min), 2 choke line valves (3" min), choke line (3" min), 2 kill line valves (2" min) and a check valve, 2 chokes with one remotely controlled from rig floor and a pressure gauge on choke manifold.
- D. Upper and Lower Kelly cock valves with handles and safety valve and subs to fit all drill string connections.
- E. IBOP or float sub available.
- F. Fill up line must be installed above the uppermost preventer.
- G. Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 50 percent of internal yield pressure of casing whichever is less. BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc..., for a 5M system and individual components shall be operable as designed.

### 4. Casing Design:

\* This well is designed with a 7" contingency liner in the event that drilling problems are encountered, though not anticipated, in the lower Green River formation. The contingency liner would cover from the top of the Wasatch formation to 300' inside the surface casing shoe. To facilitate this contingency string, an 8.5" diameter hole will be drilled from the base of the surface casing to the top of the Wasatch. Both cases are outlined below as, "Planned", and "Contingency".

Planned Casing Design									
Name	Hole Size (in)	Csg. Size	Top (MD)	Bottom (MD)	Wt. (ppf)	Grade	Thread	Cond.	Expected MW(ppg)
Conductor	22	16	Sfc	40	Steel	Conductor	None	Used	N/A
Surface	12.25	9.625	Sfc	3665	40	N-80	LTC	New	Air
Production	8.5	4.5	Sfc	6200	11.6	HCP-110	LTC	New	9.5
Production	7.875	4.5	Sfc	11130	11.6	HCP-110	LTC	New	10.5

**QEP Energy Company** 

RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E

Contingency Casing Design									
Name	Hole Size (in)	Csg. Size	Top (MD)	Bottom (MD)	Wt. (ppf)	Grade	Thread	Cond.	Expected MW(ppg)
Conductor	22	16	0	40	Steel	Conductor	None	Used	N/A
Surface	12.25	9.625	0	3665	40	N-80	LTC	New	Air
Contingency	8.5	7	3365	6200	26	N-80	LTC	New	9.5
Production	6.125	4.5	0	11130	11.6	HCP-110	LTC	New	10.5

Casing Strengths								
String Name	OD (in)	Wt (ppf)	Grade	Thread	Collapse (psi)	Burst (psi)	Tensile (kips)	
Surface	9.625	40	N-80	LTC	3090	5750	727	
Contingency	7	26	N-80	LTC	5410	7240	519	
Production	4.5	11.6	HCP-110	LTC	8830	10710	279	

### **Casing Design Factors**

\*The casing prescribed above meets or exceeds the below listed design factors.

Burst: 1.2 Collapse: 1.2 Tension: 1.6

Maximum anticipated mud weight: 10.5 ppg Maximum anticipated surface treating pressure: 7,200 psi

### 5. <u>Cementing Program</u>

Planned Design -

### 9-5/8" Surface Casing:

	<b>Lead</b>	<u>Tail</u>
Slurry Name	HAL LITE 35:65 POZ	HAL 50:50 POZ
Top of Slurry (ft, MD):	0	3000
Bottom of Slurry (ft, MD):	3000	3665
Cement Coverage (ft)	3000	665
Weight (ppg):	11.0	13.5
Yeild (ft <sup>3</sup> /sk):	3.12	1.47
% Excess (Open Hole Only):	50%	50%
Volume (ft <sup>3</sup> ):	1410	312
Volume (Sacks):	460	220

**QEP Energy Company** 

RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E

### 4-1/2" Production Casing\*:

	Lead	<u>Tail</u>
Slurry Name	HAL LITE 35:65 POZ	HAL 50:50 POZ
Top of Slurry (ft, MD):	3165	8455
Bottom of Slurry (ft, MD):	8455	11130
Cement Coverage (ft)	5290	2675
Weight (ppg):	11.0	13.5
Yeild (ft <sup>3</sup> /sk):	3.18	1.65
% Excess (Open Hole Only):	50%	50%
Volume (ft <sup>3</sup> ):	2011	918
Volume (Sacks):	640	560

### Contingency Design -

### 9-5/8" Surface Casing:

	<b>Lead</b>	<u>Tail</u>
Slurry Name	HAL LITE 35:65 POZ	HAL 50:50 POZ
Top of Slurry (ft, MD):	0	3000
Bottom of Slurry (ft, MD):	3000	3665
Cement Coverage (ft)	3000	665
Weight (ppg):	11.0	13.5
Yeild (ft <sup>3</sup> /sk):	3.12	1.47
% Excess (Open Hole Only):	50%	50%
Volume (ft <sup>3</sup> ):	1410	312
Volume (Sacks):	460	220

### **7" Contingency Liner:**

	<b>Lead</b>	<u>Tail</u>
Slurry Name	HAL LITE 35:65 POZ	PREMIUM G
Top of Slurry (ft, MD):	3365	6000
Bottom of Slurry (ft, MD):	6000	6250
Cement Coverage (ft)	2635	250
Weight (ppg):	12.2	15.8
Yeild (ft <sup>3</sup> /sk):	2.23	1.15
% Excess (Open Hole Only):	0.5	0.5
Volume (ft <sup>3</sup> ):	492	50
Volume (Sacks):	230	50

QEP Energy Company

RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E

### 4-1/2" Production Casing\*:

	Lead	<u>Tail</u>
Slurry Name	HAL LITE 35:65 POZ	HAL 50:50 POZ
Top of Slurry (ft, MD):	3165	8455
Bottom of Slurry (ft, MD):	8455	11130
Cement Coverage (ft)	5290	2675
Weight (ppg):	11.0	13.5
Yeild (ft <sup>3</sup> /sk):	3.18	1.65
% Excess (Open Hole Only):	50%	50%
Volume (ft <sup>3</sup> ):	364	378
Volume (Sacks):	120	120

<sup>\*</sup>Production cement volumes will be determined by caliper logs (if run). In all cases, QEP will attempt to exceed the prognosed top of cement in the production casing. A Cement Bond Log (CBL) will be run from the production casing shoe to the top of cement and be used to determine the quality of the cement bond. QEP Energy Company will submit a field copy of the CBL to the BLM field office in, Vernal.

### 6. Auxiliary Equipment

- A. Kelly Cock yes
- B. Float at the bit Yes
- C. Monitoring equipment on the mud system PVT/Flow Show
- D. Full opening safety valve on the rig floor Yes
- E. Rotating Head Yes
- F. Request for Variance:

Drilling surface hole with air:

A variance from 43 CFR 3160 Onshore Oil and Gas Order #2, Section III Requirements, subsection E. Special Drilling Operations is requested for the specific operation of drilling and setting surface casing on the subject well with a truck mounted air rig. The variance from the following requirements of Order #2 is requested because surface casing depth for this well is 50' or deeper into the Mahogany Bench formation and high pressures are not expected.

- 1. **Properly lubricated and maintained rotating head** A diverter system in place of a rotating head. The diverter system forces the air and cutting returns to the reserve pit and is used to drill the surface casing.
- 2. **Blooie line discharge 100 feet from wellbore and securely anchored** the blooie line discharge for this operation will be located 50 to 70 feet from the wellhead. This reduced length is necessary due to the smaller location size to minimize surface disturbance.
- 3. **Automatic igniter or continuous pilot light on blooie line** a diffuser will be used rather than an automatic pilot/igniter. Water is injected into the compressed air and eliminates the need for a pilot light and the need for dust suppression equipment.

RW 4B1-26B 8-Point Drilling Plan

Page 5 of 11

QEP Energy Company RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E

- 4. Compressors located in the opposite direction from the blooie line a minimum of 100 feet from the wellbore compressors located within 50 feet on the opposite side of the wellbore from the blooie line and is equipped with a 1) emergency kill switch on the driller's console, 2) pressure relief valves on the compressors, 3) spark arrestors on the motors.
- 5. **Well Kill Fluid** A suitable amount of water and weighting agents will be available in the reserve pit during air drilling operations to kill the well, if necessary. No overpressured zones are expected in the area
- 6. **Deflector on the end of the blooie line** QEP will mount a deflector unit at the end of the blooie line for the purpose of changing the direction and velocity of the air and cuttings flow into the reserve pit. Changing the velocity and direction of the cuttings and air will preserve the pit liner. In the event the deflector washes out due to erosion caused by the sand blasting effect of the cuttings, there will be no problem because the deflector is mounted on the very end of the blooie. A washed out deflector will be easily replaced.
- 7. **Flare Pit** there will be no need of a flare pit during the surface hole air drilling operation because the blooie line is routed directly to the reserve pit. When the big rig arrives for the main drilling after setting surface casing, a flare box will be installed and all flare lines will be routed to the flare box.

### Request for Variance:

Formation Integrity Testing:

Pursuant to Onshore Order No. 2 Section III, Subsection B(i), Formation Integrity Tests (FIT) must be performed on either exploratory wells or any well permitted to utilize 5M BOPE. QEP requests a variance to this rule, by not performing an FIT test at the surface or intermediate casing shoe for the following reasons: 1) These wells are considered development, not exploratory, and 2) it is common to encounter zones in formations below the shoe that fail at a lower Equivalent Mud Weight (EMW) than a typical FIT test.

- G. Drilling below the 9-5/8" casing will be done with water based mud. Maximum anticipated mud weight is 10.5 ppg.
- H. No minimum quantity of weight material will be required to be kept on location.
- I. Gas detector will be used from intermediate casing depth to TD.

### 7. <u>Testing, logging and coring program</u>

- A. Cores none.
- B. DST none anticipated
- C. Logging

Mud Logs: Surface casing shoe to TD

OH Surface: None

OH Production: SP-CAL-GR-RES-DEN/NEU

- D. Formation and Completion Interval:
  - Stimulation will be designed for the particular area of interest as encountered.

RW 4B1-26B 8-Point Drilling Plan Page 6 of 11 Created: March 22, 2012

**QEP Energy Company** 

RW 4B1-26B

Uintah County, Utah


SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E

### 8. <u>Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards</u>

No abnormal temperatures or pressures are anticipated.

Maximum anticipated bottom hole pressure (approx, psi): 6025 Maximum anticipated bottom hole temperature (approx, deg F): 210

H2S has been known to occur in the Green River formation in varied concentrations. QEP will actively monitor for H2S during drilling operations. If H2S is found, and concentrations exceed 100 ppm, a safety contingency plan will be implemented in compliance with Onshore Order No. 6.




**QEP Energy Company** 

RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E




**QEP Energy Company** 

RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E



5M CHOKE MANIFOLD EQUIPMENT - CONFIGURATION OF CHOKES MAY VARY

Although not required for any of the choke manifold systems, buffer tanks are accordings installed downstrates of the choke accomblish for the purpose of generalization of the blood lines togethet. When buffer tanks are employed, valves shall be installed upstream to include a follower or malfamolish without interrupting flow control. Though not shown on 20, 304, 1084, OR 1594 diameter, it would also be applicable to

[54 FR 39528, Sept. 27, 1985

**QEP Energy Company** 

RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E

### PLANNED WELLBORE DIAGRAM

General Information				
Pad	44-22B			
Pod	3			
Elevation, GL	5593			
Elevation, RKB	5609			



Conductor Information			
Conductor set @	40		
Cemented to Surface			

Geologic Prognosis					
Formation TVD MD					
Duchesne River/Uintah	0	0			
Green River	2810	2848			
Mahogany	3560	3614			
Est Btm of Mod Saline Water	5360	5452			
Wasatch	6105	6200			
Mesaverde	8360	8455			
Sego	10735	10830			
TD	11035	11130			

Directional Information					
KOP: 600 ft					
Departure:	977	ft			
Azimuth: 114.53 deg					

Hole Size	From (MD)	To (MD)
12.25	0	3665
8.5	3665	6200
7.875	6200	11130

Casing Information				
Size	Wt	Grade	Top (MD)	Depth (MD)
9.625	40	N-80	) 0	3665
4.5	11.6	HCP-110	0	11130

Cement Program					
	<u>Lead</u> <u>Tail</u>				
	Type	HAL LITE 35:65 POZ	HAL 50:50 POZ		
Surf	Density	11	13.5		
	TOC	0	3000		
	Type	HAL LITE 35:65 POZ	HAL 50:50 POZ		
Prod	Density	11	13.5		
	TOC	3165	8455		

**QEP Energy Company** 

RW 4B1-26B

Uintah County, Utah

SHL: 228 FSL & 550 FEL, Section 22, T7S, R23E BHL: 177 FNL & 339 FWL, Section 26, T7S, R23E

### CONTINGENCY WELLBORE DIAGRAM

General Information		
Pad 44-22B		
Pod 3		
Elevation, GL 5593		
Elevation, RKB 5609		


Geologic Prognosis			
<u>Formation</u>	TVD	MD	
Duchesne River/Uintah	0	0	
Green River	2810	2848	
Mahogany	3560	3614	
Est Btm of Mod Saline Water	5360	5452	
Wasatch	6105	6200	
Mesaverde	8360	8455	
Sego	10735	10830	
TD	11035	11130	

Hole Size	From (MD)	To (MD)
12.25	0	3665
8.5	3665	6200
6.125	6200	11130

Casing Information				
Size	Wt	Grade	Top (MD)	Set Depth (MD)
9.625	40	N-80	0	3665
7	26	N-80	3365	6250
4.5	11.6	HCP-110	0	11130

Cement Program					
	Lead Tail				
	Type	HAL LITE 35:65 POZ	HAL 50:50 POZ		
Surf	Density	11	13.5		
	TOC	0	3000		
	Type	HAL LITE 35:65 POZ	PREMIUM G		
Int	Density	12.2	15.8		
	TOC	3365	6000		
	Type	HAL LITE 35:65 POZ	HAL 50:50 POZ		
Prod	Density	11	13.5		
	TOC	5750	8455		

Directional Information			
KOP:	600	ft	
Departure:	977	ft	
Azimuth:	114.53	deg	



# **QEP ENERGY COMPANY**

RW #44-22B PAD

LOCATED IN UINTAH COUNTY, UTAH SECTION 22, T7S, R23E, S.L.B.&M.




PHOTO: VIEW LOCATION STAKES

**CAMERA ANGLE: EASTERLY** 




PHOTO: VIEW OF EXISTING ACCESS

**CAMERA ANGLE: SOUTHWESTERLY** 








### QEP ENERGY COMPANY RW #44-22B PAD SECTION 22, T7S, R23E, S.L.B.&M.


PROCEED IN AN EASTERLY, THEN SOUTHERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 3.9 MILES TO THE JUNCTION OF THIS ROAD AND STATE HIGHWAY 45 TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 2.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY, THEN SOUTHERLY DIRECTION APPROXIMATELY 0.7 MILES TO THE PROPOSED LOCATION.


TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED LOCATION IS APPROXIMATELY 24.3 MILES.




















# **QEP ENERGY COMPANY**REFERENCE MAP: AREA OF VEGETATION

**RW #44-22B PAD** 

LOCATED IN UINTAH COUNTY, UTAH **SECTION 22, T7S, R23E, S.L.B.&M.** 



### NOTE:

**BEGINNING OF REFERENCE AREA** 

(NAD 83)


UTM NORTHING: 14599618.292 UTM EASTING: 2113923,918 LATITUDE: 40.187736 LONGITUDE: -109.304600

**END OF REFERENCE AREA** 

(NAD 83)

**UTM NORTHING: 14666019.479** UTM EASTING: 3511024.434 LATITUDE: 40.188333 -109.304592

LONGITUDE:



Since 1964 -

Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 (435) 789-1017 \* FAX (435) 789-1813

SCALE: 1" = 300'

YEAR DAY MONTH

REF.

TAKEN BY: A.F. | DRAWN BY: B.D.H. | REVISED: 00-00-00



# **QEP ENERGY (UT)**

Red Wash 44-22B Pad RW 4B1-26B

**Original Hole** 

Plan: Plan ver.0 - Permit

Standard Planning Report

30 January, 2012





Site

### **QEP Resources, Inc.**

Planning Report



EDMDB\_QEP Database: Company: QEP ENERGY (UT) Project: Red Wash Site: 44-22B Pad

Well: RW 4B1-26B Wellbore: Original Hole Plan ver.0 - Permit Design:

**Local Co-ordinate Reference:** 

**TVD Reference:** MD Reference: North Reference:

**Survey Calculation Method:** 

Well RW 4B1-26B

RKB @ 5609.50usft (EST. RKB) RKB @ 5609.50usft (EST. RKB)

True

Minimum Curvature

Project Red Wash

US State Plane 1983 Map System:

North American Datum 1983 Geo Datum:

Utah Central Zone Map Zone:

System Datum: Mean Sea Level

Using geodetic scale factor

44-22B Pad

Northing: 7,245,162.964 usft Site Position: Latitude: From: Мар Easting: 2,253,161.907 usft Longitude: 13-3/16 "

**Position Uncertainty:** 0.00 usft Slot Radius:

40.189221 -109.306432

Grid Convergence: 1.41 9

Well RW 4B1-26B

7,244,875.046 usft **Well Position** +N/-S -292.81 usft Northing: Latitude: 40.188417 2,253,363.881 usft +E/-W 194.87 usft Easting: Longitude: -109.305735

**Position Uncertainty** 0.00 usft Wellhead Elevation: 5,593.50 usft **Ground Level:** 5,593.50 usft

Wellbore Original Hole Magnetics **Model Name** Sample Date Declination Dip Angle Field Strength (nT) (°) (°) 1/30/2012 IGRF2010 10.94 66.04 52,390

Design Plan ver.0 - Permit **Audit Notes:** Version: Phase: PLAN Tie On Depth: 0.00 **Vertical Section:** Depth From (TVD) +N/-S +E/-W Direction (usft) (usft) (usft) (°) 0.00 0.00 0.00 114.53

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,185.51	11.71	114.53	1,181.44	-24.75	54.25	2.00	2.00	0.00	114.53	
5,314.75	11.71	114.53	5,224.74	-372.65	816.70	0.00	0.00	0.00	0.00	
6,095.44	0.00	0.00	6,000.00	-405.66	889.03	1.50	-1.50	0.00	180.00	
11,130.44	0.00	0.00	11,035.00	-405.66	889.03	0.00	0.00	0.00	0.00	



### **QEP** Resources, Inc.

**Planning Report** 



 Database:
 EDMDB\_QEP

 Company:
 QEP ENERGY (UT)

 Project:
 Red Wash

 Site:
 44-22B Pad

 Well:
 RW 4B1-26B

Well: RW 4B1-26B
Wellbore: Original Hole
Design: Plan ver.0 - Permit

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well RW 4B1-26B

RKB @ 5609.50usft (EST. RKB) RKB @ 5609.50usft (EST. RKB)

True

Minimum Curvature

anned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00
1,185.51	11.71	114.53	1,181.44	-24.75	54.25	59.63	2.00	2.00	0.00
5,314.75	11.71	114.53	5,224.74	-372.65	816.70	897.70	0.00	0.00	0.00
6,095.44	0.00	0.00	6,000.00	-405.66	889.03	977.21	1.50	-1.50	0.00
11,130.44	0.00	0.00	11,035.00	-405.66	889.03	977.21	0.00	0.00	0.00

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
RW 4B1-26B Target - plan misses targe - Circle (radius 150	•	0.00 0.00usft at 6	8,360.00 095.44usft I	-405.66 MD (6000.00	889.03 FVD, -405.66 I	7,244,491.350 N, 889.03 E)	2,254,262.520	40.187303	-109.302553

Casing Points						
	Measured	Vertical		Casing	Hole	
	Depth	Depth		Diameter	Diameter	
	(usft)	(usft)	Name	(")	(")	
	3,665.69	3,610.00 8 5/8"		8-5/8	12-1/4	

Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
2,848.68	2,810.00	Green River		0.00	
3,614.63	3,560.00	Mahogany		0.00	
5,452.40	5,360.00	Est. Moderately Saline Water Base		0.00	
6,200.44	6,105.00	Wasatch		0.00	
8,455.44	8,360.00	Mesaverde		0.00	
10,830.44	10,735.00	Sego		0.00	





### Company Name: QEP ENERGY (UT)

Azimufts to True North
Magnetic North: 10,94\*

Magnetic Fleid
Strength: 52930.4snT
Dip Angle: 66.04\*
Date: 1,302/2012
Model: IGRE2110

Project: Red Wash Site: 44-22B Pad Well: RW 481-26B Wellbore: Original Hole Design: Plan ver.0 - Permit





### **Additional Operator Remarks**


QEP Energy Company proposes expand the existing RW 44-22B well. The RW 44-22 pad expansion will consist of 30 wells to be directionally drilled to the Mesa Verde Formation.

If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements.

Please see Onshore Order No. 1.

Please be advised that QEP Energy Company agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No.ESB000024. The principal is QEP Energy Company via surety as consent as provided for the 43 CFR 3104.2.



### QEP ENERGY COMPANY RED WASH 44-22B PAD

# ONSHORE ORDER NO. 1 MULTI – POINT SURFACE USE & OPERATIONS PLAN

RW 1B1-27B Surface: BHL:	245' FSL, 819' FEL 175' FNL, 978' FEL	SEC.22 SEC.27	SESE, T7S, R23E NENE, T7S, R23E
RW 1B4-27B Surface: BHL:	244' FSL, 805' FEL 509' FNL, 980' FEL	SEC.22 SEC.27	SESE, T7S, R23E NENE, T7S, R23E
RW 1C1-27B Surface: BHL:	244' FSL, 791' FEL 839' FNL, 979' FEL	SEC.22 SEC.27	SESE, T7S, R23E NENE, T7S, R23E
RW 1C4-27B Surface: BHL:	243' FSL, 777' FEL 1168' FNL, 979' FEL	SEC.22 SEC.27	SESE, T7S, R23E NENE, T7S, R23E
RW 2B1-27B Surface: BHL:	525' FSL, 801' FEL 174' FNL, 2299' FEL	SEC.22 SEC.27	SESE, T7S, R23E NWNE, T7S, R23E
RW 2B4-27B Surface: BHL:	527' FSL, 829' FEL 506' FNL, 2299' FEL	SEC.22 SEC.27	SESE, T7S, R23E NWNE, T7S, R23E
RW 4B1-26B			
Surface: BHL:	228' FSL, 550' FEL 177' FNL, 339' FWL	SEC.22 SEC.26	SESE, T7S, R23E NWNW, T7S, R23E
RW 4B4-26B Surface: BHL:	227' FSL, 536' FEL 506' FNL, 337' FWL	SEC.22 SEC.26	SESE, T7S, R23E NWNW, T7S, R23E
RW 4C1-26B Surface: BHL:	227' FSL, 522' FEL 837' FNL, 339' FWL	SEC.22 SEC.26	SESE, T7S, R23E NWNW, T7S, R23E
RW 4C4-26B Surface: BHL:	226' FSL, 508' FEL 1166' FNL, 340' FWL	SEC.22 SEC.26	SESE, T7S, R23E NWNW, T7S, R23E
RW 5B1-26B Surface: BHL:	225' FSL, 494' FEL 1494' FNL, 338' FWL	SEC.22 SEC.26	SESE, T7S, R23E SWNW, T7S, R23E

RW 5B4-26B			
Surface: BHL:	224' FSL, 480' FEL 1825' FNL, 340' FWL	SEC.22 SEC.26	SESE, T7S, R23E SWNW, T7S, R23E
RW 8B1-27B Surface: BHL:	242' FSL, 763' FEL 1502' FNL, 981' FEL	SEC.22 SEC.27	SESE, T7S, R23E SENE, T7S, R23E
RW 8C1-22B Surface: BHL:	510' FSL, 560' FEL 2157' FNL, 977' FEL	SEC. 22 SEC.22	SESE, T7S, R23E SENE, T7S, R23E
RW 8C4-22B Surface: BHL:	509' FSL, 546' FEL 2485' FNL, 978' FEL	SEC.22 SEC.22	SESE, T7S, R23E SENE, T7S, R23E
RW 9B1-22B Surface: BHL:	508' FSL, 532' FEL 2466' FSL', 977' FEL	SEC.22 SEC.22	SESE, T7S, R23E NESE, T7S, R23E
RW 9B4-22B Surface: BHL:	507' FSL, 519' FEL 2134' FSL, 978' FEL	SEC.22 SEC.22	SESE, T7S, R23E NESE, T7S, R23E
RW 9C4-22B Surface: BHL:	506' FSL, 505' FEL 1477' FSL, 979' FEL	SEC.22 SEC.22	SESE, T7S, R23E NESE, T7S, R23E
RW 10B4-22B Surface: BHL:	527' FSL, 843' FEL 2132' FSL, 2299' FEL	SEC.22 SEC.22	SESE, T7S, R23E NWSE, T7S, R23E
RW 10C1-22B Surface: BHL:	526' FSL, 815' FEL 1805' FSL, 2298' FEL	SEC.22 SEC.22	SESE, T7S, R23E NWSE, T7S, R23E
RW 10C4-22B Surface: BHL:	524' FSL, 787' FEL 1474' FSL, 2297' FEL	SEC.22 SEC.22	SESE, T7S, R23E NWSE, T7S, R23E
RW 13C1-23B Surface: BHL:	230' FSL, 578' FEL 492' FSL, 339' FWL	SEC.22 SEC.23	SESE, T7S, R23E SWSW, T7S, R23E
RW 13C4-23B Surface: BHL:	229' FSL, 564' FEL 155' FSL, 342' FWL	SEC.22 SEC.23	SESE, T7S, R23E SWSW, T7S, R23E
RW 15B1-22B Surface: BHL:	522' FSL, 759' FEL 1143' FSL, 2296' FEL	SEC.22 SEC.22	SESE, T7S, R23E SWSE, T7S, R23E

RW 15C1-22B Surface: BHL:	521' FSL, 745' FEL 485' FSL, 2296' FEL	SEC.22 SEC.22	SESE, T7S, R23E SWSE, T7S, R23E
RW 15C4-22B Surface: BHL:	523' FSL, 773' FEL 152' FSL, 2297' FEL	SEC.22 SEC.22	SESE, T7S, R23E SWSE, T7S, R23E
RW 16B1-22B Surface: BHL:	505' FSL, 491' FEL 1146' FSL, 978' FEL	SEC.22 SEC.22	SESE, T7S, R23E SESE, T7S, R23E
RW 16B4-22B Surface: BHL:	504' FSL, 477' FEL 815' FSL, 981' FEL	SEC.22 SEC.22	SESE, T7S, R23E SESE, T7S, R23E
RW 16C1-22B Surface: BHL:	503' FSL, 463' FEL 485' FSL, 980' FEL	SEC.22 SEC.22	SESE, T7S, R23E SESE, T7S, R23E
RW 16C4-22B Surface: BHL:	246' FSL, 833' FEL 154' FSL, 979' FEL	SEC.22 SEC.22	SESE, T7S, R23E SESE, T7S, R23E

This surface use and operations plan provides site specific information for the above referenced wells.

An onsite inspection was conducted for the RW 44-22B Pad on October 11, 2011. Weather conditions were sunny at the time of the onsite. In attendance at the inspection were the following individuals:

Kevin Sadlier	Bureau of Land Management
Holly Villa	Bureau of Land Management
Jan Nelson	QEP Energy Company
Stephanie Tomkinson	QEP Energy Company
Ryan Angus	QEP Energy Company
Valyn Davis	QEP Energy Company
Bob Havgood	QEP Energy Company

Andy Floyd Uintah Engineering & Land Surveying

The proposed project consists of a 30 well pad with 13.628 acres of total disturbance. This equates to approximately 0.454 acres of disturbance per well.

### 1. Existing Roads:

The proposed well site is approximately 24 miles South of Vernal, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 - mile radius.

All existing roads will be maintained and kept in good repair during all phases of operation.

### 2. Planned Access Roads:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Refer to Topo Map B for the location of the proposed access road.

No new access road is proposed. The access to be used is the existing roads that cross through the proposed location. The road will be re-routed on the north east side of the pad and will remain on the pad. Graveling or capping the roadbed will be performed as necessary to provide a well constructed safe road. Should conditions warrant, rock, gravel or culverts will be installed as needed.

Refer to Topo Map B for the location of the proposed access road.

### 3. Location of Existing Wells Within a 1 – Mile Radius:

Please refer to Topo Map C.

### 4. Location of Existing & Proposed Facilities:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

### Please refer to Figure 1 for production facility layout and location.

The following guidelines will apply if the well is productive.

A containment dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks). These dikes will be constructed of steel and road base, hold 110% of the capacity of the largest tank and be independent of the back cut. If a Spill Prevention, Control, and Countermeasure (SPCC) Plan is required by the Environmental Protection Agency, the containment dike may be expanded to meet SPCC requirements with approval by the BLM/VFO AO. The specific APD will address additional capacity if such is needed due to environmental concerns. The use of topsoil for the construction of dikes will not be allowed.

All loading lines will be placed inside the berm surrounding the tank batteries.

All permanent (on site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a color approved by the BLM.

It was determined on the onsite by the BLM VFO AO that the facilities will be painted Covert Green.

The existing surface pipelines crossing the proposed location will be re-routed to the North East side of the pad for safety. The proposed surface pipeline re-route is 1,946' in length, containing approximately 1.340 acres. Please refer to Topo Map D for the location of the existing pipelines and the re-route.

Refer to Topo Map D for the location of the proposed pipeline.

If equipment removal is necessary for construction, equipment will be removed before any construction begins.

The proposed surface pipeline will be constructed utilizing existing disturbed areas to minimize surface disturbance. No construction activities will be allowed outside of the proposed pipeline.

Prior to construction, the Permittee will develop a plan of installation to minimize surface disturbance. Pipe will be strung along the pipeline route with either a flatbed trailer and rubber tired backhoe or a tracked typed side boom. Where surface conditions do not allow the pipe to be strung using conventional methods, the Permittee will utilize pull sections to run the fabricated pipe through the area from central staging areas along the pipeline route.

Upon completion of stringing activities the Permittee will fabricate the pipeline on wooden skids adjacent to the centerline of the pipeline route using truck mounted welding machines. All fabricated piping will be lowered off of the wooden skids and placed along the centerline. Upon completion of all activities, the wooden skids will be removed from the pipeline route using a flatbed truck or flatbed truck and trailer.

When the surface terrain prohibits the Permittee from safely installing the pipeline along the pipeline route, grading of the route will be required. Prior to installing the pipeline in these areas a plan will be developed to safely install the pipeline while minimizing grading activities and surface disturbances. Additionally, erosion control Best Management Practices will be installed as needed prior to the start of any grading activities. Surface grading will be limited to what is needed to safely install the pipeline. Track type bulldozers and track type backhoes will be utilized for grading activities.

Upon completion of the pipeline installation, the pipeline route will be restored to the pre-disturbance surface contours.

The proposed pipeline will be a surface 10" or smaller, 992' in length, containing .683 acres.

#### Road Crossings

Fusion Bond or concrete coated pipe will be used for all road crossings to alleviate future corrosion.

All pipe and fittings used for road crossings will be prefabricated within the proposed pipeline route to minimize the duration of open pipe trench across the roadway. Pipe used for road crossings will be isolated on each end with a flange set and insulation kit and cathodically protected with a magnesium type anode. Adequately sized equipment will be used for minor and major road crossings. Depth of cover for minor roads will be >4' and the depth of cover for major roads will be >6'.

Prior to lowering the pipe in the trench, the Permittee will "Jeep" the pipe to locate and repair any Holidays in the pipe coating. Upon lowering the pipe in the trench, 6" of bedding and a minimum of 6" of shading will be installed to protect the pipe

using either native soils <1" in diameter or imported sand. Pipe trenches that extend across gravel roads will be backfilled with native soils to within 8" of the driving surface and capped with 3/4" road base. Pipe trenches that extend across asphalt paved roads will be backfilled to 4" of the driving surface with 3/4" road base and capped asphalt material.

### 5. Location and Type of Water Supply:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Water for drilling purposes would be obtained from Wonsits Valley Water Right # 49-251 (which was filed on May 7, 1964) or Red Wash Water Right # 49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System.

### 6. Source of Construction Materials:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

The use of materials under BLM jurisdiction will conform with 43 CFR 3610.2-3.

### 7. Methods of Handling Waste Materials:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids including salts and chemicals will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be used at the next drill site or will be removed and disposed of at an approved waste disposal facility within 6 months after drilling is terminated. Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

Unless specified in the site specific APD, the reserve pit will be constructed on the location and will not be located within natural drainages, where a flood hazard exists or surface runoff will or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

It will be determined at the on-site inspection if a pit liner is necessary, the reserve pit will be lined with a synthetic reinforced 30 mil liner with sufficient bedding to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place.

No trash or scrap will be disposed of in the pit.

Reserve pit leaks are considered an undesirable event and will be orally reported to the AO.

After first production, produced wastewater will be confined to the approved pit or storage tank for a period not to exceed 90 days.

After the 90 day period, the produced water will be contained in tanks on location and then hauled by truck to one of the following pre-approved disposal sites:

Red Wash Disposal well located in the SESE, Section 28, T7S, R23E, West End Disposal located in the NESE, Section 28, T7S, R22E, NBE 12 SWD-10-9-23 located in the NWSW, Section 10, 9S, 23E.

Produced water, oil, and other byproducts will not be applied to roads or well pads for the control of dust or weeds. The dumping of produced fluids on roads, well sites, or other areas will not be allowed.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site. The spills will be reported to the AO and other authorities as appropriate.

A chemical porta-toilet will be furnished with the drilling rig. The chemical portatoilet wastes will be hauled to Ashley Valley Sewer and Water System for disposal.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. Trash will not be burned on location. All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig. All trash and waste material will be hauled to the Uintah County Landfill.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of wells. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of wells within these areas. Specific APD's shall address any modifications from this policy.

#### 8. Ancillary Facilities:

None anticipated.

#### 9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram rig orientation, parking areas, and access roads, as well as the location of the following:

The reserve pit.

The stockpiled topsoil will not be used for facility berms. All brush removed from the well pad during construction will be stockpiled with topsoil.

The flare pit or flare box will be located downwind from the prevailing wind direction.

Any drainage that crosses the well location will be diverted around the location by using ditches, water diversion drains or berms. If deemed necessary at the on-site, erosion drains may be installed to contain sediments that could be produced from access roads and well locations.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

#### 10. Fencing Requirements:

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

All pits will be fenced according to the following minimum standards:

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched using a stretching device before it is attached to corner posts.

The reserve pit will be fenced on three (3) sides during drilling operations. The fourth side will be put in place when the rig moves off location. The pit will be fenced and maintained until it is backfilled. If drilling operations does not commence within 3 days, the fourth side of the fence will be installed

#### 11. Plans for Reclamation of the Surface:

Please refer to QEP Energy Company Uinta Basin Division Reclamation Plan.

**Site Specific Procedures:** 

**Site Specific Reclamation Summary:** 

Reclamation will follow QEP Energy Company, Uinta Basin Division's Reclamation Plan, September 2009 (QEP's Reclamation Plan) and the BLM Green River District Reclamation Guidelines.

After the pad is built, the topsoil piles will be seeded, signed, and erosion control devices and techniques will be implemented.

All trash and debris will be removed from the disturbed area.

After the wells are on production, the pad will be downsized to a smaller production pad.

The road base and gravel on the portion of the pad that will be downsized, will be picked up and used on the production pad and access road.

The cuttings pit is located in the center of the production pad; it will be backfilled and capped with road base and gravel.

Interim reclamation will be conducted on the portion of the pad that is downsized.

The interim reclamation area will be recontoured to blend with the surrounding landscape. All topsoil will be evenly distributed.

Water courses and drainages will be established.

Erosion control devices and techniques will be installed where needed.

Seeding will be done in the fall, prior to ground freeze up.

The seed mix will be determined prior to seeding.

Monitoring and reporting will be conducted as stated in QEP's Reclamation Plan. A reference site and weed data sheet have been established and are included in this application.

Weed control will be conducted as stated in QEP's Reclamation Plan.

It was determined and agreed upon that there is 5" inches of top soil.

#### 12. Surface Ownership:

Bureau of Land Management 170 South 500 East Vernal, Utah 84078 (435) 781-4400

#### 13. Other Information:

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted on October 19, 2011, **State of Utah Antiquities Project U-11-MQ-0913b** by Montgomery Archaeology

Consultants. Cultural resource clearance was recommended for this location.

A Class III paleontological survey was conducted by Intermountain Paleo Consulting. A copy of this report was submitted on October 14, 2011 IPC # 11-176 by Stephen D. Sandau. The inspection resulted in the location of no fossil resources. However, if vertebrate fossil(s) are found during construction a paleontologist should be immediately notified. QEP Energy Company will provide Paleo monitor if needed.

Per the onsite on October 11, 2011, the following items were requested/ discussed.

None





11002 East 17500 South Vernal, UT 84078 Telephone 435-781-4331 Fax 435-781-4395

April 9, 2012

Ms. Diana Mason Division of Oil, Gas and Mining P.O. Box 145801 Salt Lake City, UT 84114-6100

RE: Directional Drilling R649-3-11 Red Wash Unit

#### RW 4B1-26B

228' FSL 550' FEL, SESE, Section 22, T7S, R23E (Surface) 177' FNL 339' FWL, NWNW, Section 26, T7S, R23E (Bottom Hole) Uintah County, Utah

Dear Ms. Mason:

Pursuant to the filing of QEP Energy Company Application for Permit to Drill regarding the above referenced well, we are hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649 -3-11 pertaining to the location and drilling of a directional well.

QEP Energy Company is permitting this well at this location for geological reasons. Locating the well at the surface location and directionally drilling from this location, QEP Energy Company will be able to minimize surface disturbance.

Furthermore, QEP Energy Company certifies that it is the sole working interest owner within 460 feet of the entire directional well bore.

Therefore, based on the above stated information QEP Energy Company requests the permit be granted pursuant to Rule R649-3-11.

Sincerely,

QEP Energy Company

Jan Nelson Permit Agent

#### RW 4B1-26B

#### Lessee's or Operator's Representative & Certification:

Valyn Davis Regulatory Affairs Analyst QEP Energy Company 11002 East 17500 South Vernal, UT 84078 (435) 781-4369

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.


QEP Energy Company is considered to be the operator of the subject well.

QEP Energy Company agrees to be responsible under terms and conditions of the lease for the operations conducted upon leased lands.

Bond coverage pursuant to 43 CFR 3104.2 for lease activities is being provided by Bond No. ESB000024

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that I have full knowledge of the State and Federal laws applicable to this operations; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Valin Warro	4/9/2012
Valyn Davis	Date



### **United States Department of the Interior**

#### BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

April 25, 2012

Memorandum

Assistant District Manager Minerals, Vernal District To:

Michael Coulthard, Petroleum Engineer From:

2012 Plan of Development Red Wash Unit,

Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2012 within the Red Wash Unit, Uintah County, Utah.

LOCATION API# WELL NAME

(Proposed PZ MESA VERDE)

PAD 44-22B

43-047-52490 RW 1B1-27B Sec 22 T07S R23E 0245 FSL 0819 FEL BHL Sec 27 T07S R23E 0175 FNL 0978 FEL

43-047-52492 RW 1B4-27B Sec 22 T07S R23E 0244 FSL 0805 FEL BHL Sec 27 T07S R23E 0509 FNL 0980 FEL

43-047-52493 RW 1C1-27B Sec 22 T07S R23E 0244 FSL 0791 FEL

BHL Sec 27 T07S R23E 0839 FNL 0979 FEL

43-047-52494 RW 1C4-27B Sec 22 T07S R23E 0243 FSL 0777 FEL

BHL Sec 27 T07S R23E 1168 FNL 0979 FEL

43-047-52495 RW 2B4-27B Sec 22 T07S R23E 0527 FSL 0829 FEL BHL Sec 27 T07S R23E 0506 FNL 2299 FEL

43-047-52512 RW 4B1-26B Sec 22 T07S R23E 0228 FSL 0550 FEL

BHL Sec 26 T07S R23E 0177 FNL 0339 FWL

43-047-52513 RW 4B4-26B Sec 22 T07S R23E 0227 FSL 0536 FEL BHL Sec 26 T07S R23E 0506 FNL 0337 FWL

43-047-52516 RW 4C1-26B Sec 22 T07S R23E 0227 FSL 0522 FEL

BHL Sec 26 T07S R23E 0837 FNL 0339 FWL

RECEIVED: May 01, 2012

API#	WELL NAME	LOCATION	
(Proposed PZ	MESA VERDE)		
PAD 44-22B 43-047-52519		R23E 0226 FSL R23E 1166 FNL	
43-047-52523		R23E 0225 FSL R23E 1494 FNL	
43-047-52524		R23E 0224 FSL R23E 1825 FNL	
43-047-52525		R23E 0242 FSL R23E 1502 FNL	
43-047-52526		R23E 0510 FSL R23E 2157 FNL	
43-047-52527		R23E 0509 FSL R23E 2485 FNL	
43-047-52528		R23E 0506 FSL R23E 1477 FSL	
43-047-52529		R23E 0508 FSL R23E 2466 FSL	
43-047-52530		R23E 0507 FSL R23E 2134 FSL	
43-047-52531		 R23E 0504 FSL R23E 0815 FSL	
43-047-52532		R23E 0527 FSL R23E 2132 FSL	
43-047-52533		R23E 0503 FSL R23E 0485 FSL	
43-047-52534		R23E 0526 FSL R23E 1805 FSL	
43-047-52535		R23E 0524 FSL R23E 1474 FSL	
43-047-52536		R23E 0230 FSL R23E 0492 FSL	
43-047-52537		R23E 0229 FSL R23E 0155 FSL	
43-047-52539		R23E 0522 FSL R23E 1143 FSL	

Page 2

Page 3

LOCATION

(Proposed PZ MESA VERDE)

WELL NAME

PAD 44-22B

API#

43-047-52540 RW 15C1-22B Sec 22 T07S R23E 0521 FSL 0745 FEL

BHL Sec 22 T07S R23E 0485 FSL 2296 FEL

43-047-52541 RW 15C4-22B Sec 22 T07S R23E 0523 FSL 0773 FEL

BHL Sec 22 T07S R23E 0152 FSL 2297 FEL

43-047-52542 RW 16B1-22B Sec 22 T07S R23E 0505 FSL 0491 FEL

BHL Sec 22 T07S R23E 1146 FSL 0978 FEL

43-047-52543 RW 16C4-22B Sec 22 T07S R23E 0246 FSL 0833 FEL

BHL Sec 22 T07S R23E 0154 FSL 0979 FEL

This office has no objection to permitting the wells at this time.

Michael L. Coulthard

Digitally signed by Michael L. Coulthard
DN: cn=Michael L. Coulthard, o=Bureau of Land Management,
ou=Branch of Minerals, email=Michael\_Coulthard@blm.gov, c=US
Date: 2012.04.25 15:25:58-06'00'

bcc: File - Red Wash Unit

Division of Oil Gas and Mining

Central Files
Agr. Sec. Chron
Fluid Chron

MCoulthard:mc:4-25-12

#### **WORKSHEET** APPLICATION FOR PERMIT TO DRILL

**APD RECEIVED:** 4/23/2012 API NO. ASSIGNED: 43047525120000

WELL NAME: RW 4B1-26B

**OPERATOR:** QEP ENERGY COMPANY (N3700) PHONE NUMBER: 435 781-4369

**CONTACT:** Valyn Davis

LEASE TYPE: 1 - Federal

PROPOSED LOCATION: SESE 22 070S 230E Permit Tech Review: 

> **SURFACE: 0228 FSL 0550 FEL Engineering Review:**

> BOTTOM: 0177 FNL 0339 FWL Geology Review:

**COUNTY: UINTAH LATITUDE: 40.18841** LONGITUDE: -109.30568

**LOCATION AND SITING:** 

UTM SURF EASTINGS: 644232.00 NORTHINGS: 4450045.00 FIELD NAME: RED WASH

**LEASE NUMBER: UTU**0566 PROPOSED PRODUCING FORMATION(S): MESA VERDE

SURFACE OWNER: 1 - Federal **COALBED METHANE: NO** 

#### **RECEIVED AND/OR REVIEWED:**

Oil Shale 190-5

✓ PLAT R649-2-3.

Unit: RED WASH Bond: FEDERAL - ESB000024

Potash R649-3-2. General

Oil Shale 190-3 R649-3-3. Exception

**Drilling Unit** Oil Shale 190-13

Board Cause No: Cause 187-07 Water Permit: 49-251/ 49-2153

Effective Date: 9/18/2001 **RDCC Review:** 

Siting: Suspends General Siting Fee Surface Agreement


Intent to Commingle ✓ R649-3-11. Directional Drill

**Commingling Approved** 

Comments: Presite Completed

4 - Federal Approval - dmason Stipulations:

15 - Directional - dmason



### State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

#### Permit To Drill

\*\*\*\*\*\*

Well Name: RW 4B1-26B

**API Well Number:** 43047525120000

Lease Number: UTU0566 Surface Owner: FEDERAL Approval Date: 5/3/2012

#### Issued to:

QEP ENERGY COMPANY, 11002 East 17500 South, Vernal, Ut 84078

#### Authority:

Pursuant to Utah Code Ann. 40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 187-07. The expected producing formation or pool is the MESA VERDE Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

#### **Duration:**

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

#### General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### **Conditions of Approval:**

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

#### **Notification Requirements:**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well - contact Carol Daniels at 801-538-5284

(please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil &

#### Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
  - Requests to Change Plans (Form 9) due prior to implementation
  - Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
  - Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

For John Rogers Associate Director, Oil & Gas Form 3160-3 (August 2007)

#### APR 0 9 2012 UNITED STATES

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0136 Expires July 31, 2010

5.	Lease Serial No.
	UTU0566

BUILLAU OF LAND	MANAGEMENT	UTU0566	
APPLICATION FOR PERMIT	TO DRILL OR REENTER	6. If Indian, Allottee or Trib	e Name
1a. Type of Work: ☑ DRILL ☐ REENTER	CONFIDENTIAL	7. If Unit or CA Agreement, 892000761 <b>米D</b>	Name and No.
lb. Type of Well: ☐ Oil Well   ☐ Gas Well ☐ Ott		8. Lease Name and Well No RW 4B1-26B	
QEP ENERGY COMPANY E-Mail: Valyn.D	VALYN DAVIS avis@gepres.com	9. API Well No. 43-047-5	25/2
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435-781-4369 Fx: 435-781-4395	10. Field and Pool, or Explo RED WASH	
4. Location of Well (Report location clearly and in accorda	nnce with any State requirements.*)	11. Sec., T., R., M., or Blk.	and Survey or Area
At surface SESE 228FSL 550FEL 40.	188417 N Lat, 109.305733 W Lon	Sec 22 T7S R23E M	er SI B
At proposed prod. zone NWNW 177FNL 339FWL 2			0. 020
14. Distance in miles and direction from nearest town or post 24 MILES +/- SOUTHEAST OF VERNAL, UTAH	office*	12. County or Parish UINTAH	13. State
15. Distance from proposed location to nearest property or	17. Spacing Unit dedicated to this well		
lease line, ft. (Also to nearest drig. unit line, if any)	1920.00	20.00	
<ol> <li>Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft.</li> </ol>	19. Proposed Depth	20. BLM/BIA Bond No. on	file
+/- 9930' FROM UNIT BOUNDARY LINE	11130 MD 11035 TVD	ESB000024	
21. Elevations (Show whether DF, KB, RT, GL, etc. 5594 GL	vations (Show whether DF, KB, RT, GL, etc. 22. Approximate date work will start		
	24. Attachments		· · · · · · · · · · · · · · · · · · ·
The following, completed in accordance with the requirements of	f Onshore Oil and Gas Order No. 1, shall be attached to t	his form:	
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Off</li> </ol>	4. Bond to cover the operation Item 20 above). 5. Operator certification	ns unless covered by an existing	•
25. Signature (Electronic Submission)	Name (Printed/Typed) VALYN DAVIS Ph: 435-781-4369		Date 04/09/2012
Title REGULATORY AFFAIRS ANALYST			
Approved by (Signature)	Name (Printed/Typed)  Jerry Kenczka	3	POCT 1 2 2012
Title Assistant feld Manager Lands & Mineral Resources	Office VERNAL FIELD OFFIC		
Application approval does not warrant or certify the applicant ho operations thereon.  Conditions of approval, if any, are attached.	lds legal or equitable title to those rights in the subject lea		licant to conduct

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Electronic Submission #134945 verified by the BLM Well Information System For QEP ENERGY COMPANY, sent to the Vernal

RECEIVED

OCT 1 9 2012

DIV. OF CIL, GAS & MINING

NOTICE OF APPROVAL

\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\*

INCVCIALIAG

VK 3/20/12



# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

170 South 500 East

**VERNAL, UT 84078** 

(435) 781-4400



### CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No:

**QEP Energy Company** 

Well No: R

RW 4B1-26B

43-047-52512

Location:

SESE, Sec. 22, T7S, R23E

Lease No: Agreement: UTU-0566 Red Wash

**OFFICE NUMBER:** 

(435) 781-4400

OFFICE FAX NUMBER:

(435) 781-3420

# A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

#### **NOTIFICATION REQUIREMENTS**

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-,	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to:  blm_ut_vn_opreport@blm.gov
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)		Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

Page 2 of 8 Well: RW 4B1-26B 9/13/2012

## SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 designrated horsepower must not emit more than 2 gms of NO<sub>x</sub> per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO<sub>x</sub> per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop
  work and contact the Authorized Officer (AO). A determination will be made by the AO as to what
  mitigation may be necessary for the discovered paleontologic material before construction can
  continue.
- When feasible, two or more rigs (including drilling and completion rigs) will not be run simultaneously within 200 meters of each other. If two or more rigs must be run simultaneously within 200 meters of each other, then effective public health buffer zones out to 200 meters (m) from the nearest emission source will be implemented. Examples of an effective public health protection buffer zone include the demarcation of a public access exclusion zone by signage at intervals of every 250 feet that is visible from a distance of 125 feet during daylight hours, and a physical buffer such as active surveillance to ensure the property is not accessible by the public during drilling operations. Alternatively, the proponent may demonstrate compliance with the 1-hour NO2 National Ambient Air Quality Standards (NAAQS) with appropriate and accepted near-field modeling. As part of this demonstration, the proponent may propose alternative mitigation that shall include but is not limited to natural gas—fired drill rigs, installation of NOX controls, time/use restrictions, and/or drill rig spacing.
- All new and replacement internal combustion gas field engines of less than or equal to 300 designrated horse power must not emit more than 2 grams of NOx per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower-hour.
- All new and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 grams of NOx per horsepower-hour.
- Green completions will be used for all well completion activities where technically feasible.
- Employ enhanced VOC emission controls with 95% control efficiency on production equipment having a potential to emit greater than 5 tons per year.
- The reserve pit will be fenced on three sides prior to drilling activity and closed off on the fourth side after drilling is finished. The reserve pits for the wells will be lined with a 16 ml liner with felt.
- A dike will be constructed around those production facilities that contain fluids. The dikes will be constructed of compacted subsoil. They will be impervious, hold 10 percent more than the capacity of the largest tank, and be independent of the back cut.

Page 3 of 8 Well: RW 4B1-26B 9/13/2012

- All permanent (meaning on site for six months or longer) structures will be painted Covert Green to
  match the surrounding landscape color unless otherwise authorized. This will include all facilities
  except those required to comply with Occupational Safety and Health Act (OSHA) regulations.
- If dry, the wells will be plugged and abandoned as per BLM and State of Utah requirements.
- Prior to construction, an invasive plants/noxious weeds inventory will be completed for all areas
  where surface disturbance will occur. A completed Weed Inventory form documenting any
  occurrences of invasive plants or noxious weeds will be submitted to the BLM Authorized Officer
  before surface disturbance will occur.
- All vehicles and equipment will be cleaned either through power-washing, or other approved method, if the vehicles or equipment are brought in from areas outside the Uinta Basin, to prevent weed seed introduction.
- The operator will control noxious/invasive weeds along their roads, pipelines, well sites, or other applicable facilities by the application of herbicides or by mechanical removal until reclamation is considered to be successful by the authorized officer (AO) and the bond for the well is released. A list of noxious weeds will be obtained from the BLM or the appropriate county extension office. On BLM-administered land, the operator will submit a Pesticide Use Proposal and obtain approval prior to the application of herbicides, other pesticides, or possible hazardous chemicals.
- Immediately upon well completion, the location and surrounding area shall be cleared of all unused tubing, equipment, debris, materials, and trash. Any hydrocarbons in the pit will be removed in accordance with 43 CFR 3162.7-1.
- The reserve pit and the portion of the well not needed for production facilities/operations shall be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 120 days from the date of well completion, or as soon as environmental conditions allow. The stockpiled pit topsoil will then be spread over the pit area and broadcast-seeded/drill seeded (preferred method) with a seed mix submitted to the BLM Authorized Officer (AO) for approval prior to seeding. Seeding will be done in the fall prior to winter freezing of the soil. The seed mixture shall be worked into the topsoil with a drill seeder, bulldozer or other heavy equipment. If initial seeding is not successful, reseeding may be required.
- Once the well is plugged and facilities are removed and abandoned, the topsoil shall be stripped
  and stockpiled off of the location, and the well site, pipelines, and access roads will be returned to
  natural contours. The topsoil shall be respread, and the location seeded with the mixture submitted
  to the BLM AO. The seed mixture shall be worked into the topsoil with a drill seeder, bulldozer or
  other heavy equipment.
- Interim reclamation, final reclamation, and monitoring of reclaimed areas will be completed in accordance with the QEP Energy Company, Uinta Basin Division's Reclamation Plan, September 2009 on file with the Vernal Field Office of the BLM.

Page 4 of 8 Well: RW 4B1-26B 9/13/2012

 Prior to any surface disturbance, vegetative monitoring locations and reference sites will be identified by QEP and approved by the BLM AO. Vegetation monitoring protocol will be developed by QEP and approved by the BLM AO prior to implementation of revegetation techniques and will be designed to monitor % basal vegetative cover.

- Revegetated areas will be inspected annually and monitored to document location and extent of areas with successful revegetation, and areas needing further reclamation (for a period of 5 years after construction completion). A reclamation report will be submitted to the AO by March 31 of each year.
- QEP has agreed not to construct or drill during the following dates, unless otherwise determined by the BLM Authorized Officer.

Table 2-2 Raptor nesting timing restriction

Well Name	Burrowing Owl: March 1 to August 31
CPF	Yes
RW 23-23B Pad	No
RW 44-22B Pad	No
RW 43-27B Pad	No

Yes indicates QEP will not drill or construct during this time period.

• QEP will educate its contractors and employees about the relevant federal regulations intended to protect paleontological and cultural resources. All vehicular traffic, personnel movement, construction, and restoration activities shall be confined to areas cleared by the site inventory and to existing roads. If any potential paleontological or cultural resources are uncovered during construction, work will stop immediately in the area and the appropriate BLM AO will be notified.

Page 5 of 8 Well: RW 4B1-26B 9/13/2012

### DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

#### SITE SPECIFIC DOWNHOLE COAs:

Site Specific Drilling Plan COA's:

- Cement shall be circulated 200 ft above surface casing shoe
- Gamma Ray Log shall be run from Total Depth to Surface.

#### Variances Granted

• All variances, pertaining to FIT and Air Drilling, granted as listed in APD

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

#### DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily
  drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order
  No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a
  test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be reported in the driller's
  log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.

Page 6 of 8 Well: RW 4B1-26B 9/13/2012

- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is
  encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal
  Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
   Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to BLM\_UT\_VN\_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 7 of 8 Well: RW 4B1-26B 9/13/2012

#### **OPERATING REQUIREMENT REMINDERS:**

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at <a href="https://www.ONRR.gov">www.ONRR.gov</a>.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
  notified when it is placed in a producing status. Such notification will be by written communication
  and must be received in this office by not later than the fifth business day following the date on
  which the well is placed on production. The notification shall provide, as a minimum, the following
  informational items:
  - Operator name, address, and telephone number.
  - Well name and number.
  - Well location (¼¼, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - o Unit agreement and/or participating area name and number, if applicable.
  - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs,

Page 8 of 8 Well: RW 4B1-26B 9/13/2012

core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office
  Petroleum Engineers will be provided with a date and time for the initial meter calibration and all
  future meter proving schedules. A copy of the meter calibration reports shall be submitted to the
  BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid
  hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall
  be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to
  the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first.
  All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All
  product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in
  accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering
  lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a
  suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be
  obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
  equipment shall be removed from a well to be placed in a suspended status without prior approval
  of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior
  approval of the BLM Vernal Field Office shall be obtained and notification given before resumption
  of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office
  Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in
  order that a representative may witness plugging operations. If a well is suspended or abandoned,
  all pits must be fenced immediately until they are backfilled. The "Subsequent Report of
  Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of
  the well bore, showing location of plugs, amount of cement in each, and amount of casing left in
  hole, and the current status of the surface restoration.

Sundry Number: 34165 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
[	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	Y NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, r FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		HONE NUMBER: 08-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 22	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian	: S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
✓ SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud: 1/24/2013	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
ON 01/24/2013, QEF PIPE	COMPLETED OPERATIONS. Clearly show all PENERGY COMPANY SET 90' AND CEMENTED IT WITH REA	pertinent details including dates, of OF 16" CONDUCTOR DY MIX.	<u> </u>
NAME (PLEASE PRINT) Jan Nelson	<b>PHONE NUMBER</b> 435 781-4331	R TITLE Permit Agent	
SIGNATURE N/A		<b>DATE</b> 1/28/2013	

# STATE OF UTAH

#### DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

#### **ENTITY ACTION FORM**

Operator:

**QEP ENERGY COMANY** 

Operator Account Number: N 3700

Address:

11002 EAST 17500 SOUTH

city VERNAL

state UT

zip 84078

Phone Number: \_(435) 781-4369

Well 1

API Number	Well	Name	QQ	Sec	Twp	Rng	County
4304752537 Action Code	RW 13C4-23B	RW 13C4-23B		22	78	23E	UINTAH
	Current Entity Number	New Entity Number	S	pud Da	te		ity Assignment
В	99999	18478	1	/25/201	3	1/2	01/13
omments: WMI							A same of takens

5 23 SWSW

Well 2

County	Rng	wp		Sec	QQ	Well Name		API Number
UINTAH	23E	7S	Τ	22	SESE		RW 4B1-26B	4304752512
/ Assignment ective Date			Spud Date		New Entity Number	Current Entity Number	Action Code	
V/3	1131	1/24/2013		18478	99999	В		
. 3	1/3/		13	1/24/201	,			B omments: WMM

Well 3

API Number	Well	Name	QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number			Spud Da	te		ty Assignment ffective Date
Comments:							

#### **ACTION CODES:**

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section)

RECEIVED

Valyn Davis

Name (Please Print)

Signature

Regulatory Affairs Analyst

1/29/2013

Title

Date

(5/2000)

JAN 3 0 2013

BLM - Vernal Field Office - Notification Form

Operator QEP ENERGY Rig Name/# Pete Martin rig 1 Submitted By Dave Harding Phone Number 435-828-0396 Well Name/Number RW 4B1-26B Qtr/Qtr SE/SE Section 22 Township 7S Range 23E Lease Serial Number <u>UTU0566</u> API Number 43-047-52512 Spud Notice - Spud is the initial spudding of the well, not drilling out below a casing string. Date/Time <u>1/24/2013</u> 8:00 AM X PM Casing - Please report time casing run starts, not cementing times. Surface Casing **Intermediate Casing Production Casing** Liner Other Date/Time <u>1/24/2013</u> 3:00 AM ☐ PM ☒ **BOPE** Initial BOPE test at surface casing point BOPE test at intermediate casing point 30 day BOPE test Other Date/Time \_\_\_\_\_ AM PM Remarks We will drill and set 90 ft of 16" conductor

Sundry Number: 35848 API Well Number: 43047525120000

	STATE OF UTAH				FORM 9
ι	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		3	5.LEASE UTU05	DESIGNATION AND SERIAL NUMBER:
SUNDR	Y NOTICES AND REPORTS	S ON	WELLS	6. IF IND	AN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantl eenter plugged wells, or to drill horiz n for such proposals.			7.UNIT o	r CA AGREEMENT NAME: ASH
1. TYPE OF WELL Gas Well				8. WELL RW 4B	NAME and NUMBER: 1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY				<b>9. API NU</b> 43047	IMBER: 525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30		NE NUMBER: -3068 Ext	9. FIELD RED WA	and POOL or WILDCAT: ASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 22	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meri	dian: S		STATE: UTAH	
11. CHECK	CAPPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPOR	RT, OR O	THER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	RACTURE TREAT		NEW CONSTRUCTION
	OPERATOR CHANGE	☐ F	PLUG AND ABANDON		PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	TUBING REPAIR		/ENT OR FLARE		WATER DISPOSAL
DRILLING REPORT     Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION		APD EXTENSION
2/28/2013	WILDCAT WELL DETERMINATION		THER	ОТНЕ	R.
	COMPLETED OPERATIONS. Clearly show			lepths, vo	<u>'</u>
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUN</b> 435 781-4369	IBER	TITLE Regulatory Affairs Analyst		
SIGNATURE N/A			<b>DATE</b> 3/25/2013		

Sundry Number: 36118 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	<b>IIP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date: 3/31/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
0,01,2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a THIS WELL DURING THE MO		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 02, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE	.55 / 61 / 1000	DATE	
N/A		4/1/2013	

Sundry Number: 37144 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL	
Report Date: 4/30/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
1,00,2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
	COMPLETED OPERATIONS. Clearly show a THIS WELL DURING THE MC		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 02, 2013	
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMB</b> 435 781-4369	ER TITLE Regulatory Affairs Analyst		
SIGNATURE N/A		<b>DATE</b> 5/1/2013		
		u 0,1,2010		

RECEIVED: May. 01, 2013

Sundry Number: 38962 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	deepen existing wells below ontal laterals. Use APPLICAT	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			<b>9. API NUMBER:</b> 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Merio	lian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, RI	EPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTIO	N
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATION	INS CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL
Report Date: 5/31/2013		SI TA STATUS EXTENSION	APD EXTENSION
3,0.7,20.0	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show	MONTH OF MAY 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 10, 2013
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUM</b> 435 781-4369	BER TITLE Regulatory Affairs And	alyst
SIGNATURE N/A		<b>DATE</b> 6/10/2013	

Sundry Number: 39648 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDR	RY NOTICES AND REPORTS C	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.	eepen existing wells below tal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	<b>HIP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Meridia	n: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPOF	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN [	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL	
Report Date: 6/30/2013		SI TA STATUS EXTENSION	APD EXTENSION	
3,00,20.0	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show all THIS WELL DURING THE MO	NTH OF JUNE 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 02, 2013	
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMBE</b> 435 781-4369	Regulatory Affairs Analyst		
SIGNATURE N/A		<b>DATE</b> 7/2/2013		

RECEIVED: Jul. 02, 2013

Sundry Number: 41046 API Well Number: 43047525120000

	STATE OF UTAH				FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIG	GNATION AND SERIAL NUMBER:		
SUNDR	Y NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, A	LLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.	y deepe ontal la	en existing wells below aterals. Use APPLICATION	7.UNIT or CA A	GREEMENT NAME:	
1. TYPE OF WELL Gas Well				8. WELL NAME RW 4B1-26B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY					9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30		NE NUMBER: 3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	<b>HP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Merio	dian: S		STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER	R DATA	
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE		LTER CASING	CASING	S REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	С	HANGE TUBING	CHANG	E WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVE	RT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ FF	RACTURE TREAT	☐ NEW C	ONSTRUCTION	
	OPERATOR CHANGE	□ р	LUG AND ABANDON	PLUG B	BACK	
SPUD REPORT	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOM	IPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION		IDETRACK TO REPAIR WELL		RARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE		DISPOSAL	
Report Date: 7/31/2013	WATER SHUTOFF	∟ sı	TA STATUS EXTENSION	L APD EX	CTENSION	
.,01,2010	WILDCAT WELL DETERMINATION	∐ o	THER	OTHER:		
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show N THIS WELL DURING THE N	MONT	TH OF JULY 2013.	Acce Utah Oil, Ga FOR R	pted by the Division of Stand Mining ECORD ONLY  Ust 12, 2013	
NAME (PLEASE PRINT) Benna Muth	<b>PHONE NUM!</b> 435 781-4320	BER	TITLE Regulatory Assistant			
SIGNATURE N/A			<b>DATE</b> 8/6/2013			

Sundry Number: 41994 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 2:	HP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
8/31/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
40 DECODINE DRODOGED OF			<u>'</u>	
l .	COMPLETED OPERATIONS. Clearly show a		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 03, 2013	
NAME (PLEASE PRINT) Benna Muth	<b>PHONE NUMB</b> 435 781-4320	ER TITLE Regulatory Assistant		
SIGNATURE N/A		<b>DATE</b> 9/3/2013		

Sundry Number: 43157 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 22	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridia	an: S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
✓ DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
Report Date: 9/30/2013					
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
NO ACTIVITY ON TH	COMPLETED OPERATIONS. Clearly show a	H OF SEPTEMBER 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 02, 2013		
NAME (PLEASE PRINT) Benna Muth	<b>PHONE NUMB</b> 435 781-4320	ER TITLE Regulatory Assistant			
SIGNATURE N/A		<b>DATE</b> 10/1/2013			

Sundry Number: 44486 API Well Number: 43047525120000

	STATE OF UTAH				FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIG UTU0566	NATION AND SERIAL NUMBER:		
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, A	LLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	y deep ontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA A RED WASH	GREEMENT NAME:	
1. TYPE OF WELL Gas Well				<b>8. WELL NAME</b> RW 4B1-26B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY				l .	<b>9. API NUMBER:</b> 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30		NE NUMBER: -3068 Ext	9. FIELD and P	OOL or WILDCAT:	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	<b>HIP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Merio	dian: S		STATE: UTAH		
11. CHECK	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER	R DATA	
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE		LITER CASING	CASING	REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		HANGE TUBING	CHANG	E WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVE	RT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	☐ NEW C	DNSTRUCTION	
	OPERATOR CHANGE	П	LUG AND ABANDON	PLUG B.	ACK	
SPUD REPORT	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOM	PLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		RARY ABANDON	
				WATER DISPOSAL		
✓ DRILLING REPORT	TUBING REPAIR		ENT OR FLARE			
Report Date: 10/31/2013	WATER SHUTOFF	□ s	I TA STATUS EXTENSION		TENSION	
. 6, 6 ., 26 . 6	WILDCAT WELL DETERMINATION	∐ c	THER	OTHER:		
NO ACTIVITY ON T	COMPLETED OPERATIONS. Clearly show	NTH	OF OCTOBER 2013.	Acce Utah Oil, Ga FOR R	etc.  pted by the Division of s and Mining ECORD ONLY ember 05, 2013	
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUM</b> 435 781-4369	BER	TITLE Regulatory Affairs Analyst			
SIGNATURE N/A			<b>DATE</b> 11/5/2013			

Sundry Number: 45512 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	<b>HP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Merio	dian: S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		☐ WATER DISPOSAL ☐
Report Date: 11/30/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON TH	COMPLETED OPERATIONS. Clearly show	TH OF NOVEMBER 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 02, 2013
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUM</b> 435 781-4369	BER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		<b>DATE</b> 12/2/2013	

Sundry Number: 46581 API Well Number: 43047525120000

	STATE OF UTAH				FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING					5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF IND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	y deep ontal l	en existing wells below aterals. Use APPLICATION	7.UNIT o	r CA AGREEMENT NAME: ASH	
1. TYPE OF WELL Gas Well				8. WELL RW 4B	NAME and NUMBER: 1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NU 43047	IMBER: 525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30		NE NUMBER: -3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY		
QTR/QTR, SECTION, TOWNSH	<b>HIP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Merio	dian: S	;	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	RT, OR O	THER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE		ALTER CASING		CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME	
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	F	RACTURE TREAT		NEW CONSTRUCTION	
	OPERATOR CHANGE	☐ F	PLUG AND ABANDON		PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	☐ F	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON	
	TUBING REPAIR		/ENT OR FLARE	П	WATER DISPOSAL	
✓ DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION	П	APD EXTENSION	
12/31/2013				OTHE		
	WILDCAT WELL DETERMINATION		JIHER	OTHE	<u>'</u>	
	COMPLETED OPERATIONS. Clearly show			oi FOF	Accepted by the Utah Division of I, Gas and Mining R RECORD ONLY anuary 08, 2014	
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUM</b> 435 781-4369	BER	TITLE Regulatory Affairs Analyst			
SIGNATURE N/A			<b>DATE</b> 1/7/2014			

RECEIVED: Jan. 07, 2014

Sundry Number: 47402 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	/ deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	<b>HP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Merio	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	DRT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐
Report Date: 1/31/2014		☐ SI TA STATUS EXTENSION	APD EXTENSION
.,,,,,,,,,,	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON T	COMPLETED OPERATIONS. Clearly show	NTH OF JANUARY 2014.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 03, 2014
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUM</b> 435 781-4369	BER TITLE Regulatory Affairs Analys	t
SIGNATURE N/A		<b>DATE</b> 2/3/2014	

RECEIVED: Feb. 03, 2014

Sundry Number: 48384 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
[	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN	-	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
2/28/2014	WILDCAT WELL DETERMINATION	OTHER	OTHER:
42 DESCRIBE BRODOSED OR	COMPLETED OPERATIONS. Clearly show		·
l .	HIS WELL DURING THE MON		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 05, 2014
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMB</b> 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 3/4/2014	
I IN/ /*\		<b>■ 3/4/∠UI4</b>	

RECEIVED: Mar. 04, 2014

Sundry Number: 49513 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 3/31/2014	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 02, 2014
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMB</b> 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		4/2/2014	

RECEIVED: Apr. 02, 2014

Sundry Number: 50700 API Well Number: 43047525120000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE UTU05	DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF IND	AN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT o	r CA AGREEMENT NAME: ASH
1. TYPE OF WELL Gas Well				8. WELL RW 4B	NAME and NUMBER: 1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY				<b>9. API NU</b> 430475	MBER: 525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30		NE NUMBER: -3068 Ext	9. FIELD RED WA	and POOL or WILDCAT: ASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 23	HP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meri	dian: S	3	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	T, OR O	THER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	FRACTURE TREAT		NEW CONSTRUCTION
	OPERATOR CHANGE	F	PLUG AND ABANDON		PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ ,	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	П.	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL
✓ DRILLING REPORT					
Report Date: 4/30/2014	WATER SHUTOFF	□ <b>:</b>	SI TA STATUS EXTENSION	Ш	APD EXTENSION
., 00, 20	WILDCAT WELL DETERMINATION		OTHER	OTHE	R:
	COMPLETED OPERATIONS. Clearly show			Oi	Accepted by the Utah Division of I, Gas and Mining ARECARD ONLY
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	BER	TITLE Regulatory Affairs Analyst		
SIGNATURE	100 101 4000		DATE		
N/A			5/6/2014		

Sundry Number: 51741 API Well Number: 43047525120000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIG UTU0566	NATION AND SERIAL NUMBER:	
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, AL	LOTTEE OR TRIBE NAME:
	posals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.			7.UNIT or CA A	GREEMENT NAME:
1. TYPE OF WELL Gas Well				8. WELL NAME RW 4B1-26B	and NUMBER:
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER 4304752512	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30		NE NUMBER: -3068 Ext	9. FIELD and PO RED WASH	OOL or WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Mer	idian: S		STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER	DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	CASING	REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE	E WELL NAME
Approximate date work will start.	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVER	RT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	☐ NEW CO	INSTRUCTION
·	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BA	ACK
SPUD REPORT	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOM	PLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		RARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR		ENT OR FLARE	_	DISPOSAL
Report Date: 5/31/2014	WATER SHUTOFF	□ s	SI TA STATUS EXTENSION	☐ APD EX	TENSION
0,01,2011	WILDCAT WELL DETERMINATION	□ 0	DTHER	OTHER:	
l .	COMPLETED OPERATIONS. Clearly sho		f May 2014.	Accer Utah Oil, Gas	etc.  pted by the Division of s and Mining  FCORD ONLY
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUM</b> 435 781-4369	MBER	TITLE Regulatory Affairs Analyst		
SIGNATURE N/A			<b>DATE</b> 6/2/2014		

Sundry Number: 52902 API Well Number: 43047525120000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9
ī	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 808-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 22	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian	n: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT		_	
Report Date: 6/30/2014	L WATER SHUTOFF L	SI TA STATUS EXTENSION	APD EXTENSION
.,,	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all	-	Accepted by the Utah Division of Oil, Gas and Mining FORIRECORD ONLY
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMBE</b> 435 781-4369	R TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		<b>DATE</b> 7/2/2014	

RECEIVED: Jul. 02, 2014

Sundry Number: 54161 API Well Number: 43047525120000

	STATE OF UTAH			FORM 9
ι	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, r FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	ly deepe zontal la	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30		NE NUMBER: 3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	<b>IIP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Meri	idian: S		STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	С	HANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	NEW CONSTRUCTION
24.0 5. 110.1. 50.1	OPERATOR CHANGE		LUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:				
	REPERFORATE CURRENT FORMATION		DETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
Report Date: 7/31/2014	WATER SHUTOFF	∟ sı	TA STATUS EXTENSION	APD EXTENSION
773172014	WILDCAT WELL DETERMINATION	o	THER	OTHER:
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show	MONT	TH OF JULY 2014.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 11, 2014
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUN</b> 435 781-4369	/IBER	<b>TITLE</b> Regulatory Affairs Analyst	
SIGNATURE N/A			<b>DATE</b> 8/5/2014	

Sundry Number: 54964 API Well Number: 43047525120000

					_
	STATE OF UTAH			FORM	9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE DESIGNATION AND SERIAL NUMBER UTU0566	<u> </u>
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	_
	posals to drill new wells, significar eenter plugged wells, or to drill ho n for such proposals.			7.UNIT or CA AGREEMENT NAME: RED WASH	_
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 4B1-26B	_
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078		NE NUMBER: -3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	_
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 22	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Mo	eridian: S		STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		LTER CASING	CASING REPAIR	_
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	□ Р	LUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT Report Date:	WATER SHUTOFF		I TA STATUS EXTENSION	APD EXTENSION	
8/31/2014			TIA STATUS EXTENSION		
	WILDCAT WELL DETERMINATION		THER	OTHER:	_
	COMPLETED OPERATIONS. Clearly st			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 28, 2014	
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NU</b> 435 781-4369	JMBER	<b>TITLE</b> Regulatory Affairs Analyst		
SIGNATURE N/A			<b>DATE</b> 8/28/2014		_

RECEIVED: Aug. 28, 2014

Sundry Number: 56365 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below zontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	<b>PHONE NUMBER:</b> 03 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	<b>IIP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Meri	dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDIC.	ATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐
Report Date: 9/30/2014	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
070072011	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON TH	COMPLETED OPERATIONS. Clearly show	ITH OF SEPTEMBER 2014.	
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUN</b> 435 781-4369	IBER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		<b>DATE</b> 10/6/2014	

Sundry Number: 57378 API Well Number: 43047525120000

	STATE OF UTAH			FORM 9
ι	DEPARTMENT OF NATURAL RESOL DIVISION OF OIL, GAS, AND N		<b>;</b>	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significan reenter plugged wells, or to drill hor n for such proposals.	tly deep izontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 3		NE NUMBER: -3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Me	ridian: S		STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	F	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ <sub>F</sub>	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION	APD EXTENSION
10/31/2014			I IA STATUS EXTENSION	
	WILDCAT WELL DETERMINATION		DTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly sho			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 05, 2014
NAME (DI SACE POINT)	BUONE Y	MDEE	TITLE	
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NU</b> 435 781-4369	WBER	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A			<b>DATE</b> 11/3/2014	

Sundry Number: 58356 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date: 11/30/2014	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 04, 2014
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMB</b> 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		12/1/2014	

Sundry Number: 59479 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	<b>HIP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date: 12/31/2014	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
. =, 5 ., = 5	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly show a		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 05, 2015
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMB</b> 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		1/5/2015	

Sundry Number: 60412 API Well Number: 43047525120000

STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	pposals to drill new wells, significantly dee reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		IONE NUMBER: 8-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date: 1/31/2015	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
1/31/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON T	COMPLETED OPERATIONS. Clearly show all posterior of the properties of the complete control of the control		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 02, 2015
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		2/2/2015	

RECEIVED: Feb. 02, 2015

Sundry Number: 61263 API Well Number: 43047525120000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE DESIGNATION AND SERIAL UTU0566	NUMBER:
SUNDR	RY NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE	NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deep zontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30		NE NUMBER: -5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meri	dian: S		STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE	A	LTER CASING	CASING REPAIR	
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS		OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ ₽	RACTURE TREAT	NEW CONSTRUCTION	
24.0 5. 110.1. 50.1	OPERATOR CHANGE		LUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:					)N
	REPERFORATE CURRENT FORMATION		IDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL	
Report Date: 2/28/2015	WATER SHUTOFF	∟ s	I TA STATUS EXTENSION	APD EXTENSION	_
2/20/2010	WILDCAT WELL DETERMINATION	☐ c	THER	OTHER:	ĺ
l .	COMPLETED OPERATIONS. Clearly show	-	OF FEBRUARY 2015.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ON March 03, 2015	NLY
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUM</b> 435 781-4369	IBER	TITLE Regulatory Affairs Analyst		
SIGNATURE N/A			<b>DATE</b> 3/3/2015		

Sundry Number: 62232 API Well Number: 43047525120000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE UTU05	E DESIGNATION AND SERIAL NUMBER: 666
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF IND	DIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly reenter plugged wells, or to drill horize n for such proposals.			7.UNIT o	or CA AGREEMENT NAME: ASH
1. TYPE OF WELL Gas Well				8. WELL RW 4B	NAME and NUMBER: 11-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NI 43047	UMBER: 525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30		NE NUMBER: -5919 Ext	9. FIELD	and POOL or WILDCAT: ASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 2:	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Merio	dian: S	3	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE N	ATURE OF NOTICE, REPOR	T, OR C	OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	FRACTURE TREAT		NEW CONSTRUCTION
	OPERATOR CHANGE	☐ F	PLUG AND ABANDON		PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	П.	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL
✓ DRILLING REPORT					1
Report Date: 3/31/2015	WATER SHUTOFF	□ <b>:</b>	SI TA STATUS EXTENSION		APD EXTENSION
3, 3 . , 2 3 . 3	WILDCAT WELL DETERMINATION		OTHER	отн	ER:
	COMPLETED OPERATIONS. Clearly show			о <b>FO</b> I	Accepted by the Utah Division of il, Gas and Mining R RECORD ONLY April 02, 2015
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMI 435 781-4369	BER	TITLE Regulatory Affairs Analyst		
SIGNATURE	+55 / 01-4509 		DATE		
N/A			4/1/2015		

Sundry Number: 63093 API Well Number: 43047525120000

	STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significar reenter plugged wells, or to drill ho n for such proposals.			7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078		NE NUMBER: -5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 2:	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Me	eridian: S		STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	□ Р	LUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	П。	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT				
Report Date: 4/30/2015	WATER SHUTOFF	∟s	I TA STATUS EXTENSION	APD EXTENSION
., 00, 20.0	WILDCAT WELL DETERMINATION	□ 0	THER	OTHER:
	COMPLETED OPERATIONS. Clearly sh			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 05, 2015
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NU</b> 435 781-4369	JMBER	TITLE Regulatory Affairs Analyst	
SIGNATURE			DATE	
N/A			5/4/2015	

RECEIVED: May. 04, 2015

Sundry Number: 63639 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566		
SUNDR	RY NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.	pen existing wells below laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		ONE NUMBER: 5-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	tip, range, meridian: 2 Township: 07.0S Range: 23.0E Meridian: 9	S	STATE: UTAH		
11. CHECK	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	T, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT					
Approximate date work will start:		CHANGE TUBING	CHANGE WELL NAME		
SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT Report Date:	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	APD EXTENSION		
5/31/2015		SI IA STATUS EXTENSION			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF MAY 2015.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 01, 2015					
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE  Descriptory Affairs Applyed			
Valyn Davis	435 781-4369	Regulatory Affairs Analyst			
SIGNATURE N/A		<b>DATE</b> 6/1/2015			

Sundry Number: 64558 API Well Number: 43047525120000

STATE OF UTAH			FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566		
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly dee eenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			<b>9. API NUMBER:</b> 43047525120000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South , \( \)		DNE NUMBER: 5-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian: \$	S	STATE: UTAH		
11. CHECK	APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	T, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
		VENT OR FLARE	WATER DISPOSAL		
✓ DRILLING REPORT		SI TA STATUS EXTENSION	APD EXTENSION		
Report Date: 6/30/2015					
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF JUNE 2015.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY  July 01, 2015					
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE			
Valyn Davis	435 781-4369	Regulatory Affairs Analyst			
SIGNATURE N/A		<b>DATE</b> 7/1/2015			

RECEIVED: Jul. 01, 2015

Sundry Number: 65164 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566		
SUNDR	Y NOTICES AND REPORTS O	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.	eepen existing wells below tal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridia	n: S	STATE: UTAH		
11. CHECH	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
Approximate date work will start:					
SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
Date of Work Completion:	L DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT     Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
7/31/2015		I STA STATUS EXTENSION			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF JULY 2015.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 04, 2015					
NAME (DI FACE DOINT)	BUONE HUMBE	D TITLE			
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMBE</b> 435 781-4369	R TITLE Regulatory Affairs Analyst			
SIGNATURE N/A		<b>DATE</b> 8/3/2015			

Sundry Number: 65885 API Well Number: 43047525120000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9
ı	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566		
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	<b>HIP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Meridi	ian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL
Report Date: 8/31/2015	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show THIS WELL DURING THE MO		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 02, 2015
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUME</b> 435 781-4369	Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		9/2/2015	

Sundry Number: 66626 API Well Number: 43047525120000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9		
I	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566				
SUNDR	Y NOTICES AND REPORTS ON	I WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly dee reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			<b>9. API NUMBER:</b> 43047525120000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,		IONE NUMBER: 5-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 2:	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian:	S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
The second secon	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	U TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
9/30/2015					
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF SEPTEMBER 2015.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 02, 2015					
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	TITLE Regulatory Affairs Analyst			
<b>SIGNATURE</b> N/A		<b>DATE</b> 10/1/2015			

Sundry Number: 67423 API Well Number: 43047525120000

	STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	Y NOTICES AND REPORTS	S ON V	VELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significant reenter plugged wells, or to drill hori: n for such proposals.	ly deepe zontal la	en existing wells below terals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078		IE NUMBER: 5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	tip, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Mer	ridian: S		STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDIC	ATE NA	TURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		TER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	Сн	IANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	□ co	MMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ FR	ACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	∏ pL	UG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		CLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION			
			DETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		NT OR FLARE	☐ WATER DISPOSAL
Report Date: 10/31/2015	☐ WATER SHUTOFF	∟ sı	TA STATUS EXTENSION	APD EXTENSION
10/01/2010	WILDCAT WELL DETERMINATION	□ от	HER	OTHER:
l .	COMPLETED OPERATIONS. Clearly sho			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 03, 2015
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUN</b> 435 781-4369		TITLE Regulatory Affairs Analyst	
SIGNATURE N/A			<b>DATE</b> 11/2/2015	

Sundry Number: 68047 API Well Number: 43047525120000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9
1	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly dee reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,		ONE NUMBER: 5-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 2:	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian: 3	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT     Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
11/30/2015	WILDCAT WELL DETERMINATION	OTHER	OTHER:
40 DECORIDE BRODOCED OR			· <del></del>
	COMPLETED OPERATIONS. Clearly show all po		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 01, 2015
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	TITLE Regulatory Affairs Analyst	
<b>SIGNATURE</b> N/A		<b>DATE</b> 12/1/2015	

Sundry Number: 68832 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	<b>HIP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Meridi	ian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL
Report Date: 12/31/2015	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
. =, 5 ., = 5 . 5	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show the HIS WELL DURING THE MON		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 06, 2016
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMB</b> 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE 1/5/2016	
N/A		1/5/2016	

Sundry Number: 69529 API Well Number: 43047525120000

STATE OF UTAH			FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30	<b>PHONE NUMBER:</b> 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Merio	dian: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR		☐ WATER DISPOSAL ☐	
Report Date: 1/31/2016	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF JANUARY 2016.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 03, 2016				
NAME (PLEASE PRINT)	PHONE NUM			
Valyn Davis	435 781-4369	Regulatory Affairs Analyst		
SIGNATURE N/A		<b>DATE</b> 2/1/2016		

RECEIVED: Feb. 01, 2016

Sundry Number: 70273 API Well Number: 43047525120000

STATE OF UTAH			FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		ONE NUMBER: 5-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian: \$	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
		PLUG AND ABANDON	PLUG BACK	
		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:				
		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL	
Report Date: 2/29/2016	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
2/29/2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF FEBRUARY 2016.  Accepted by the Utah Division of Oil, Gas and Mining  FOR RECORD ONLY  March 04, 2016				
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	TITLE Regulatory Affairs Analyst		
SIGNATURE N/A		<b>DATE</b> 3/3/2016		
L + +4 * *		, -,		

RECEIVED: Mar. 03, 2016

Sundry Number: 70913 API Well Number: 43047525120000

STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly deep eenter plugged wells, or to drill horizontal l n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		NE NUMBER: -5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 22	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian: S	3	STATE: UTAH
11. CHEC	CAPPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
		/ENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT		SI TA STATUS EXTENSION	APD EXTENSION
Report Date: 3/31/2016			
		OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all pe THIS WELL DURING THE MONTI		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 07, 2016
NAME (PLEASE PRINT) Valyn Davis	<b>PHONE NUMBER</b> 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		<b>DATE</b> 4/4/2016	

Sundry Number: 71589 API Well Number: 43047525120000

STATE OF UTAH			FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	posals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	<b>HP, RANGE, MERIDIAN:</b> 2 Township: 07.0S Range: 23.0E Meridia	an: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOF	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR		☐ WATER DISPOSAL	
Report Date: 4/30/2016		SI TA STATUS EXTENSION	APD EXTENSION	
.,, 66, 26.6	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF APRIL 2016.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 03, 2016				
NAME (PLEASE PRINT) Jan Nelson	<b>PHONE NUMBI</b> 435 781-4331	ER TITLE Permit Agent		
SIGNATURE		DATE		
N/A		5/3/2016		

RECEIVED: May. 03, 2016

Sundry Number: 72179 API Well Number: 43047525120000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ental laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 22	IIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridi	ian: S	STATE: UTAH	
11. CHECH	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT		SI TA STATUS EXTENSION		
Report Date: 5/31/2016	WATER SHUTOFF		APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF MAY 2016.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 06, 2016  NAME (PLEASE PRINT)  PHONE NUMBER  TITLE				
Jan Nelson	<b>PHONE NUMB</b> 435 781-4331	BER TITLE Permit Agent		
SIGNATURE N/A		<b>DATE</b> 6/6/2016		

Sundry Number: 72941 API Well Number: 43047525120000

STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		HONE NUMBER: 95-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian	: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:		1		
	L REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL	
Report Date: 6/30/2016	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
0/30/2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF JUNE 2016.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 07, 2016				
NAME (PLEASE PRINT) Jan Nelson	PHONE NUMBER 435 781-4331	TITLE Permit Agent		
SIGNATURE	.55 . 5 . 156 .	DATE		
N/A		7/7/2016		

RECEIVED: Jul. 07, 2016

Sundry Number: 73498 API Well Number: 43047525120000

STATE OF UTAH			FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly deer reenter plugged wells, or to drill horizontal n for such proposals.	pen existing wells below laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		ONE NUMBER: 5-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridian: \$	5	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT				
Approximate date work will start:		CHANGE TUBING	☐ CHANGE WELL NAME	
SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT     Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
7/31/2016		SI TA STATUS EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF JULY 2016.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 04, 2016				
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE		
Jan Nelson	435 781-4331	Permit Agent		
SIGNATURE N/A		<b>DATE</b> 8/2/2016		

RECEIVED: Aug. 02, 2016

Sundry Number: 74226 API Well Number: 43047525120000

STATE OF UTAH			FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0566	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 4B1-26B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047525120000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0228 FSL 0550 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 2:	HIP, RANGE, MERIDIAN: 2 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
8/31/2016				
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  NO ACTIVITY ON THIS WELL DURING THE MONTH OF AUGUST 2016.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 07, 2016				
NAME (PLEASE PRINT) Jan Nelson	<b>PHONE NUMB</b> 435 781-4331	ER TITLE Permit Agent		
SIGNATURE N/A		<b>DATE</b> 9/6/2016		